



TASKI PROSTRIP HD

Revision: 2019-03-05

Version: 01.0

SECTION 1: Identification of the substance/mixture and supplier

1.1 Product identifier

Product name: TASKI PROSTRIP HD

1.2 Recommended use and restrictions on use

Identified uses:

Floor stripper

Restrictions of use:

Uses other than those identified are not recommended

1.3 Details of the supplier

DIVERSEY NEW ZEALAND LTD.

24 Bancroft Crescent, Glendene, Auckland, 0602, New Zealand

Telephone: +64 9 813 9800; 0800 803 615 (toll free)

Fax: + 64 9 813 9801

Website: www.diversey.com

1.4 Emergency telephone number

Seek medical advice (show the label or safety data sheet where possible)

Call 0800 243 622 (24 hrs)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

HSNO Classification

6.1E - Acutely toxic (inhalation)

6.1E - Acutely toxic (oral)

6.1E - Acutely toxic (dermal)

6.8B - Suspected human reproductive or developmental toxicants

8.2C - Corrosive to dermal tissue

8.3A - Corrosive to ocular tissue

9.3C - Harmful to terrestrial vertebrates

GHS Equivalent Classification

Specific target organ toxicity (single exposure), Category 3

Acute toxicity, inhalation, Category 5

Acute toxicity, oral, Category 5

Acute toxicity, skin, Category 5

Reproductive toxicity, Category 2

Skin corrosion, Category 1C

Serious eye damage, Category 1

Terrestrial vertebrates, Category 3

2.2 Label elements



Signal word: Danger

Hazard statements:

H314 - Causes severe skin burns and eye damage.

H333 - May be harmful if inhaled.

H303 - May be harmful if swallowed.

H313 - May be harmful in contact with skin.

H361 - Suspected of damaging fertility or the unborn child.

H335 - May cause respiratory irritation.

H433 - Harmful to terrestrial vertebrates.

TASKI PROSTRIP HD

Prevention statement(s):

P201 - Obtain special instructions before use.
 P202 - Do not handle until all safety precautions have been read and understood.
 P233 - Keep container tightly closed.
 P260 - Do not breathe vapours.
 P264 - Wash face, hands and any exposed skin thoroughly after handling.
 P271 - Use only outdoors or in a well-ventilated area.
 P280 - Wear protective gloves, protective clothing and eye or face protection.
 P281 - Use personal protection equipment as required.

Response statement(s):

P301 + P330 + P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
 P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
 P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.
 P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P308 + P313 - IF exposed or concerned: Get medical advice or attention.
 P310 - Immediately call a POISON CENTRE, doctor or physician.
 P321 - Specific treatment (see supplemental first aid instructions on this label).
 P363 - Wash contaminated clothing before reuse.

Storage statement(s):

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed.
 P405 - Store locked up.

Disposal statement(s):

P501 - Dispose of unused content as chemical waste.

2.3 Other hazards

No other hazards known.

2.4 Classification diluted product:

Recommended maximum concentration (%): 20

HSNO Classification

6.3A - Irritating to the skin
 8.3A - Corrosive to ocular tissue

GHS Equivalent Classification

Skin irritation, Category 2
 Serious eye damage, Category 1

2.5 Label elements diluted product

Dilution Signal word: Danger.

H315 - Causes skin irritation.
 H318 - Causes serious eye damage.

P233 - Keep container tightly closed.
 P264 - Wash face, hands and any exposed skin thoroughly after handling.
 P280 - Wear protective gloves, protective clothing and eye or face protection.
 P332 + P313 - If skin irritation occurs: Get medical advice or attention.
 P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.
 P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P310 - Immediately call a POISON CENTRE, doctor or physician.
 P362 - Take off contaminated clothing.
 P501 - Dispose of unused content as chemical waste.

SECTION 3: Composition/information on ingredients**3.1 Substances / Mixtures**

TASKI PROSTRIP HD

Ingredient(s)	CAS number	EC number	Weight percent
2-butoxyethanol	111-76-2	203-905-0	10-30
2-aminoethanol	141-43-5	205-483-3	10-30
2-phenoxyethanol	122-99-6	204-589-7	3-10
sodium hydroxide	1310-73-2	215-185-5	1-3
sodium xylene sulphonate	1300-72-7	215-090-9	1-3

[4] Polymer.

Non-hazardous ingredients are the remainder and add up to 100%.

Workplace exposure limit(s), if available, are listed in subsection 8.1.

SECTION 4: First aid measures

4.1 Description of first aid measures

General Information:

Symptoms of intoxication may even occur after several hours. It is recommended to continue medical observation for at least 48 hours after the incident. If unconscious place in recovery position and seek medical advice. Provide fresh air. If breathing is irregular or stopped, administer artificial respiration. No mouth-to-mouth or mouth-to-nose resuscitation. Use Ambu bag or ventilator. IF exposed or concerned: Get medical advice or attention.

Inhalation:

Remove person to fresh air and keep comfortable for breathing. Get medical attention or advice if you feel unwell.

Skin contact:

Take off immediately all contaminated clothing and wash it before re-use. Immediately call a POISON CENTRE, doctor or physician.

Eye contact:

Hold eyelids apart and flush eyes with plenty of lukewarm water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTRE, doctor or physician.

Ingestion:

Rinse mouth. Immediately drink 1 glass of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Keep at rest. Immediately call a POISON CENTRE, doctor or physician.

Self-protection of first aider:

Consider personal protective equipment as indicated in subsection 8.2.

First aid facilities:

Shower and eyewash facilities should be considered in a workplace where necessary. Eyewash facilities should be considered in a workplace where necessary.

4.2 Most important symptoms and effects, both acute and delayed

Inhalation:

May cause respiratory irritation. Suspected of damaging fertility or the unborn child.

Skin contact:

Causes severe burns. Suspected of damaging fertility or the unborn child.

Eye contact:

Causes severe or permanent damage.

Ingestion:

Suspected of damaging fertility or the unborn child. Ingestion will lead to a strong caustic effect on mouth and throat and to the danger of perforation of oesophagus and stomach.

4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

Poison Information Center: Call 0800 764 766 (0800 POISON)

SECTION 5: Firefighting measures

5.1 Extinguishing media

Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

5.2 Special hazards arising from the substance or mixture

No special hazards known.

5.3 Advice for firefighters

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

5.4 Hazchem code

2X

2 - Fine water spray

X - Liquid-tight chemical protective clothing and breathing apparatus. Contain.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Do not breathe dust or vapour. Wear suitable protective clothing, gloves and eye/face protection.

6.2 Environmental precautions

Do not allow to enter drainage system, surface or ground water. Dilute with plenty of water.

6.3 Methods and material for containment and cleaning up

TASKI PROSTRIP HD

Use neutralising agent. Absorb with liquid-binding material (sand, diatomite, universal binders, sawdust). Ensure adequate ventilation.

6.4 Reference to other sections

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Measures to prevent fire and explosions:

No special precautions required.

Measures required to protect the environment:

For environmental exposure controls see subsection 8.2.

Advices on general occupational hygiene:

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not mix with other products unless advised by Diversey. Wash face, hands and any exposed skin thoroughly after handling. Take off immediately all contaminated clothing. Wash contaminated clothing before reuse. Obtain special instructions before use. Avoid contact with skin and eyes. Do not breathe vapours. Use only with adequate ventilation. See chapter 8.2, Exposure controls / Personal protection.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local and national regulations. Store in a well-ventilated place. Store in a closed container. Keep only in original packaging.

For conditions to avoid see subsection 10.4. For incompatible materials see subsection 10.5.

7.3 Specific end use(s)

No specific advice for end use available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Workplace exposure limits

Air limit values, if available:

Ingredient(s)	Long term value(s)	Short term value(s)	Ceiling value(s)
2-butoxyethanol	25 ppm 121 mg/m ³		
2-aminoethanol	3 ppm 7.5 mg/m ³	6 ppm 15 mg/m ³	
sodium hydroxide			2 mg/m ³

Biological limit values, if available:

8.2 Exposure controls

The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet.

If available, please refer to the product information sheet for application and handling instructions.

Normal use conditions are assumed for this section.

Recommended safety measures for handling the undiluted product:

Covering activities such as filling and transfer of product to application equipment, flasks or buckets

Appropriate engineering controls:

If the product is diluted by using specific dosing systems with no risk of splashes or direct skin contact, the personal protection equipment as described in this section is not required. Where possible: use in automated/closed system and cover open containers. Transport over pipes. Filling with automatic systems. Use tools for manual handling of product.

Appropriate organisational controls:

Avoid direct contact and/or splashes where possible. Train personnel.

Personal protective equipment

Eye / face protection:

Safety glasses or goggles (EN 166). The use of a full-face shield or other full-face protection is strongly recommended when handling open containers or if splashes may occur.

Hand protection:

Chemical-resistant protective gloves (EN 374). Verify instructions regarding permeability and breakthrough time, as provided by the gloves supplier. Consider specific local use conditions, such as risk of splashes, cuts, contact time and temperature.

Suggested gloves for prolonged contact: Material: butyl rubber Penetration time: ≥ 480 min Material thickness: ≥ 0.7 mm

Suggested gloves for protection against splashes: Material: nitrile rubber Penetration time: ≥ 30 min Material thickness: ≥ 0.4 mm

In consultation with the supplier of protective gloves a different type providing similar protection may be chosen.

Body protection:

Wear chemical-resistant clothing and boots in case direct dermal exposure and/or splashes may occur (EN 14605).

Respiratory protection:

Respiratory protection is not normally required. However, inhalation of vapour, spray, gas or aerosols should be avoided.

TASKI PROSTRIP HD

Environmental exposure controls: Should not reach sewage water or drainage ditch undiluted or unneutralised.

Recommended safety measures for handling the diluted product:

Recommended maximum concentration (%): 20

Appropriate engineering controls: No special requirements under normal use conditions.

Appropriate organisational controls: Avoid direct contact and/or splashes where possible. Train personnel.

Personal protective equipment

Eye / face protection:

Safety glasses or goggles (EN 166).

Hand protection:

Chemical-resistant protective gloves (EN 374). Verify instructions regarding permeability and breakthrough time, as provided by the gloves supplier. Consider specific local use conditions, such as risk of splashes, cuts, contact time and temperature.

Suggested gloves for prolonged contact: Material: butyl rubber Penetration time: ≥ 480 min Material thickness: ≥ 0.7 mm

Suggested gloves for protection against splashes: Material: nitrile rubber Penetration time: ≥ 30 min Material thickness: ≥ 0.4 mm

In consultation with the supplier of protective gloves a different type providing similar protection may be chosen.

Body protection:

Wear chemical-resistant clothing and boots in case direct dermal exposure and/or splashes may occur (EN 14605).

Respiratory protection:

No special requirements under normal use conditions.

Environmental exposure controls:

No special requirements under normal use conditions.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

	Method / remark
Physical State: Liquid	
Colour: Clear, Pale Yellow	
Odour: Product specific	
Odour threshold: Not applicable	
pH: > 12.5 (neat)	ISO 4316
Melting point/freezing point (°C): Not determined	Not relevant to classification of this product
Initial boiling point and boiling range (°C): Not determined	
Flammability (liquid): Not flammable.	
Flash point (°C): > 93.4	
Sustained combustion: Not applicable. (UN Manual of Tests and Criteria, section 32, L.2)	
Evaporation rate: Not determined	Not relevant to classification of this product
Flammability (solid, gas): Not applicable to liquids	
Upper/lower flammability limit (%): Not determined	
Vapour pressure: Not determined	
Vapour density: Not determined	Not relevant to classification of this product
Relative density: ≈ 1.025 (20 °C)	OECD 109 (EU A.3)
Solubility in / Miscibility with Water: Fully miscible	
Partition coefficient: n-octanol/water No information available. Substance data, partition coefficient n-octanol/water (log Kow): see subsection 12.3	
Autoignition temperature: Not determined	
Decomposition temperature: Not applicable.	
Viscosity: Not determined	Not relevant to classification of this product
Explosive properties: Not explosive.	
Oxidising properties: Not oxidising	

9.2 Other information

Surface tension (N/m): Not determined

Corrosion to metals: Not corrosive

SECTION 10: Stability and reactivity

10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

10.2 Chemical stability

Stable under normal storage and use conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known under normal storage and use conditions.

TASKI PROSTRIP HD

10.4 Conditions to avoid

None known under normal storage and use conditions.

10.5 Incompatible materials

Reacts with acids.

10.6 Hazardous decomposition products

None known under normal storage and use conditions.

SECTION 11: Toxicological information**11.1 Information on toxicological effects**

Mixture data:.

Relevant calculated ATE(s):

ATE - Oral (mg/kg): 3500

ATE - Dermal (mg/kg): 2600

ATE - Inhalatory, vapours (mg/l): 26

Substance data, where relevant and available, are listed below:.

Acute toxicity

Acute oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)
2-butoxyethanol	LD ₅₀	1746	Rat	Method not given	
2-aminoethanol	LD ₅₀	1089	Rat	OECD 401 (EU B.1)	
2-phenoxyethanol	LD ₅₀	1840	Rat	Method not given	
sodium hydroxide		No data available			
sodium xylene sulphonate	LD ₅₀	> 7200	Rat	OECD 401 (EU B.1)	

Acute dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)
2-butoxyethanol	LD ₅₀	6411		Method not given	
2-aminoethanol	LD ₅₀	2000	Rabbit	Method not given	
2-phenoxyethanol	LD ₅₀	> 2214	Rabbit	Method not given	
sodium hydroxide	LD ₅₀	1350	Rabbit	Method not given	
sodium xylene sulphonate	LD ₅₀	> 2000	Rabbit	EPA OPPTS 870.1200	

Acute inhalative toxicity

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
2-butoxyethanol	LC ₅₀	> 2 (mist) No mortality observed	Rat	Method not given	4
2-aminoethanol	LC ₅₀	No mortality observed	Rat	Method not given	4
2-phenoxyethanol	LC ₀	> 1 (mist)	Rat	Method not given	6
sodium hydroxide		No data available			
sodium xylene sulphonate	LC ₀	> 6.41 (mist)	Rat	Method not given	4

Irritation and corrosivity

Skin irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
2-butoxyethanol	Irritant	Rabbit	OECD 404 (EU B.4)	24; 48; 72 hour(s)
2-aminoethanol	Corrosive	Rabbit	OECD 404 (EU B.4)	
2-phenoxyethanol	Not irritant	Rabbit	OECD 404 (EU B.4)	
sodium hydroxide	Corrosive	Rabbit	Method not given	
sodium xylene sulphonate	Mild irritant	Rabbit	OECD 404 (EU B.4)	

Eye irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
2-butoxyethanol	Irritant	Rabbit	OECD 405 (EU B.5)	24; 48; 72 hour(s)
2-aminoethanol	Severe damage	Rabbit	OECD 405 (EU B.5)	
2-phenoxyethanol	Irritant	Rabbit	OECD 405 (EU B.5)	

sodium hydroxide	Corrosive	Rabbit	Method not given	
sodium xylene sulphonate	Irritant	Rabbit	OECD 405 (EU B.5)	

Respiratory tract irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
2-butoxyethanol	No data available			
2-aminoethanol	Irritating to respiratory tract		Method not given	
2-phenoxyethanol	No data available			
sodium hydroxide	No data available			
sodium xylene sulphonate	No data available			

Sensitisation

Sensitisation by skin contact

Ingredient(s)	Result	Species	Method	Exposure time (h)
2-butoxyethanol	Not sensitising	Guinea pig	OECD 406 (EU B.6) / GPMT	
2-aminoethanol	Not sensitising	Guinea pig	OECD 406 (EU B.6) / GPMT	
2-phenoxyethanol	Not sensitising	Guinea pig	OECD 406 (EU B.6) / GPMT	
sodium hydroxide	Not sensitising		Human repeated patch test	
sodium xylene sulphonate	Not sensitising	Guinea pig	OECD 406 (EU B.6) / GPMT	

Sensitisation by inhalation

Ingredient(s)	Result	Species	Method	Exposure time
2-butoxyethanol	No data available			
2-aminoethanol	No data available			
2-phenoxyethanol	No data available			
sodium hydroxide	No data available			
sodium xylene sulphonate	No data available			

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Mutagenicity

Ingredient(s)	Result (in-vitro)	Method (in-vitro)	Result (in-vivo)	Method (in-vivo)
2-butoxyethanol	No evidence for mutagenicity, negative test results	OECD 471 (EU B.12/13) OECD 476 (Chinese Hamster Ovary)	No evidence for mutagenicity, negative test results	OECD 474 (EU B.12)
2-aminoethanol	No evidence for mutagenicity, negative test results	OECD 471 (EU B.12/13) OECD 473 (Mouse lymphoma)	No evidence for mutagenicity, negative test results	OECD 474 (EU B.12)
2-phenoxyethanol	No evidence for mutagenicity, negative test results	Method not given	No data available	
sodium hydroxide	No evidence for mutagenicity, negative test results	DNA repair test on rat hepatocytes OECD 473	No evidence for mutagenicity, negative test results	OECD 474 (EU B.12) OECD 475 (EU B.11)
sodium xylene sulphonate	No evidence for mutagenicity, negative test results	OECD 473	No evidence for mutagenicity, negative test results	OECD 474 (EU B.12)

Carcinogenicity

Ingredient(s)	Effect
2-butoxyethanol	No evidence for carcinogenicity, negative test results
2-aminoethanol	No evidence for carcinogenicity, weight-of-evidence
2-phenoxyethanol	No evidence for carcinogenicity, weight-of-evidence
sodium hydroxide	No evidence for carcinogenicity, weight-of-evidence
sodium xylene sulphonate	No evidence for carcinogenicity, negative test results

Toxicity for reproduction

Ingredient(s)	Endpoint	Specific effect	Value (mg/kg bw/d)	Species	Method	Exposure time	Remarks and other effects reported
2-butoxyethanol			No data available				
2-aminoethanol	NOAEL	Developmental toxicity	> 75	Rabbit	OECD 414 (EU B.31), oral	6 - 15 day(s)	No evidence for developmental toxicity No evidence for reproductive toxicity
2-phenoxyethanol			No data available				No evidence for reproductive toxicity No known significant effects or critical hazards
sodium hydroxide			No data				No evidence for developmental

TASKI PROSTRIP HD

			available				toxicity No evidence for reproductive toxicity
sodium xylene sulphonate	NOAEL	Teratogenic effects	> 936	Rat	Non guideline test		

Repeated dose toxicity

Sub-acute or sub-chronic oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
2-butoxyethanol		No data available				
2-aminoethanol	NOAEL	300	Rat		75	
2-phenoxyethanol		No data available				
sodium hydroxide		No data available				
sodium xylene sulphonate	NOAEL	763 - 3534	Rat	OECD 408 (EU B.26)	90	

Sub-chronic dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
2-butoxyethanol		No data available				
2-aminoethanol		No data available				
2-phenoxyethanol		No data available				
sodium hydroxide		No data available				
sodium xylene sulphonate	NOAEL	> 440		OECD 411 (EU B.28)	90	

Sub-chronic inhalation toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
2-butoxyethanol		No data available				
2-aminoethanol		No data available				
2-phenoxyethanol		No data available				
sodium hydroxide		No data available				
sodium xylene sulphonate		No data available				

Chronic toxicity

Ingredient(s)	Exposure route	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time	Specific effects and organs affected	Remark
2-butoxyethanol			No data available					
2-aminoethanol			No data available					
2-phenoxyethanol			No data available					
sodium hydroxide			No data available					
sodium xylene sulphonate	Oral		No data available	Rat	OECD 453 (EU B.33)	24 month(s)	No adverse effects observed	

STOT-single exposure

Ingredient(s)	Affected organ(s)
2-butoxyethanol	No data available
2-aminoethanol	Respiratory tract
2-phenoxyethanol	No data available
sodium hydroxide	No data available
sodium xylene sulphonate	No data available

STOT-repeated exposure

Ingredient(s)	Affected organ(s)
2-butoxyethanol	No data available
2-aminoethanol	No data available
2-phenoxyethanol	No data available
sodium hydroxide	No data available
sodium xylene sulphonate	No data available

Aspiration hazard

Substances with an aspiration hazard (H304), if any, are listed in section 3. If relevant, see section 9 for dynamic viscosity and relative density

of the product.

Potential adverse health effects and symptoms

Effects and symptoms related to the product, if any, are listed in subsection 4.2.

SECTION 12: Ecological information

12.1 Toxicity

No data is available on the mixture.

Substance data, where relevant and available, are listed below:

Aquatic short-term toxicity

Aquatic short-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
2-butoxyethanol	LC ₅₀	> 100	<i>Oncorhynchus mykiss</i>	OECD 203, static	96
2-aminoethanol	LC ₅₀	349	<i>Cyprinus carpio</i>	OECD 203 (EU C.1)	96
2-phenoxyethanol	LC ₅₀	344	<i>Pimephales promelas</i>	Method not given	96
sodium hydroxide	LC ₅₀	35	Various species	Method not given	96
sodium xylene sulphonate	LC ₅₀	> 1000	Fish	EPA-OPPTS 850.1075	96

Aquatic short-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
2-butoxyethanol	EC ₅₀	> 100	<i>Daphnia magna</i> Straus	OECD 202, static	48
2-aminoethanol	EC ₅₀	65	<i>Daphnia magna</i> Straus	OECD 202, static	48
2-phenoxyethanol	EC ₅₀	> 500	<i>Daphnia magna</i> Straus	Method not given	48
sodium hydroxide	EC ₅₀	40.4	<i>Ceriodaphnia</i> sp.	Method not given	48
sodium xylene sulphonate	EC ₅₀	> 1000	<i>Daphnia</i>	EPA-OPPTS 850.1010	48

Aquatic short-term toxicity - algae

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
2-butoxyethanol	EC ₅₀	> 100	<i>Pseudokirchneriella subcapitata</i>	OECD 201, static	72
2-aminoethanol	EC ₅₀	2.8	<i>Pseudokirchneriella subcapitata</i>	OECD 201 (EU C.3)	72
2-phenoxyethanol	EC ₅₀	> 500	<i>Desmodesmus subspicatus</i>	DIN 38412, Part 9	72
sodium hydroxide	EC ₅₀	22	<i>Photobacterium phosphoreum</i>	Method not given	0.25
sodium xylene sulphonate	EC ₅₀	> 230	Not specified	EPA OPPTS 850.5400	96

Aquatic short-term toxicity - marine species

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (days)
2-butoxyethanol		No data available			-
2-aminoethanol		No data available			-
2-phenoxyethanol		No data available			-
sodium hydroxide		No data available			-
sodium xylene sulphonate		No data available			-

Impact on sewage plants - toxicity to bacteria

Ingredient(s)	Endpoint	Value (mg/l)	Inoculum	Method	Exposure time
2-butoxyethanol	EC ₀	700	<i>Pseudomonas putida</i>	Method not given	16 hour(s)
2-aminoethanol	EC ₅₀	> 1000	Activated sludge	DIN EN ISO 8192-OECD 209-88/302/EEC	3 hour(s)
2-phenoxyethanol	EC ₂₀	620	Activated sludge	ISO 8192	0.5 hour(s)

TASKI PROSTRIP HD

sodium hydroxide		No data available			
sodium xylene sulphonate	E _r C ₅₀	> 1000	Activated sludge	OECD 209	3 hour(s)

Aquatic long-term toxicity

Aquatic long-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
2-butoxyethanol	NOEC	> 100	<i>Danio rerio</i>	OECD 204	21 day(s)	
2-aminoethanol	NOEC	1.2	<i>Oryzias latipes</i>	OECD 210	30 day(s)	
2-phenoxyethanol	NOEC	23	<i>Pimephales promelas</i>	Method not given	34 day(s)	
sodium hydroxide		No data available				
sodium xylene sulphonate		No data available				

Aquatic long-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
2-butoxyethanol	NOEC	100	<i>Daphnia magna</i>	OECD 211	21 day(s)	
2-aminoethanol	NOEC	0.85	<i>Daphnia magna</i>	OECD 202	21 day(s)	
2-phenoxyethanol	NOEC	9.43	<i>Daphnia magna</i>	OECD 211	21 day(s)	
sodium hydroxide		No data available				
sodium xylene sulphonate		No data available				

Aquatic toxicity to other aquatic benthic organisms, including sediment-dwelling organisms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw sediment)	Species	Method	Exposure time (days)	Effects observed
2-butoxyethanol		No data available			-	
2-aminoethanol		No data available			-	
2-phenoxyethanol		No data available			-	
sodium hydroxide		No data available			-	
sodium xylene sulphonate		No data available			-	

Terrestrial toxicity

Terrestrial toxicity - soil invertebrates, including earthworms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
2-butoxyethanol		No data available			-	
2-aminoethanol		No data available			-	
2-phenoxyethanol	LD ₅₀	1000	<i>Eisenia fetida</i>	OECD 207	14	
sodium hydroxide		No data available			-	
sodium xylene sulphonate		No data available			-	

Terrestrial toxicity - plants, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
2-butoxyethanol		No data available			-	
2-aminoethanol		No data available			-	
2-phenoxyethanol	EC ₅₀	34	<i>Brassica napus</i>	OECD 208	19	
sodium hydroxide		No data available			-	
sodium xylene sulphonate		No data available			-	

Terrestrial toxicity - birds, if available:

Ingredient(s)	Endpoint	Value	Species	Method	Exposure time (days)	Effects observed
2-butoxyethanol		No data			-	

TASKI PROSTRIP HD

		available				
2-aminoethanol		No data available			-	
2-phenoxyethanol		No data available			-	
sodium hydroxide		No data available			-	
sodium xylene sulphonate		No data available			-	

Terrestrial toxicity - beneficial insects, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
2-butoxyethanol		No data available			-	
2-aminoethanol		No data available			-	
2-phenoxyethanol		No data available			-	
sodium hydroxide		No data available			-	
sodium xylene sulphonate		No data available			-	

Terrestrial toxicity - soil bacteria, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
2-butoxyethanol		No data available			-	
2-aminoethanol		No data available			-	
2-phenoxyethanol		147	<i>Not specified</i>	OECD 217	7	
sodium hydroxide		No data available			-	
sodium xylene sulphonate		No data available			-	

12.2 Persistence and degradability

Abiotic degradation

Abiotic degradation - photodegradation in air, if available:

Ingredient(s)	Half-life time	Method	Evaluation	Remark
sodium hydroxide	13 second(s)	Method not given	Rapidly photodegradable	

Abiotic degradation - hydrolysis, if available:

Abiotic degradation - other processes, if available:

Biodegradation

Ready biodegradability - aerobic conditions

Ingredient(s)	Inoculum	Analytical method	DT ₅₀	Method	Evaluation
2-butoxyethanol		CO ₂ production	90.4 % in 28 day(s)	OECD 301B	Readily biodegradable
2-aminoethanol		DOC reduction	> 90 % in 21 day(s)	OECD 301A	Readily biodegradable
2-phenoxyethanol		COD removal	90 % in 28 day(s)	OECD 301F	Readily biodegradable
sodium hydroxide					Not applicable (inorganic substance)
sodium xylene sulphonate			99.8 % in 28 day(s)	OECD 301F	Readily biodegradable

Ready biodegradability - anaerobic and marine conditions, if available:

Degradation in relevant environmental compartments, if available:

12.3 Bioaccumulative potential

Partition coefficient n-octanol/water (log Kow)

Ingredient(s)	Value	Method	Evaluation	Remark
2-butoxyethanol	0.81	OECD 107	Low potential for bioaccumulation	
2-aminoethanol	- 1.91	OECD 107	No bioaccumulation expected	
2-phenoxyethanol	1.2	OECD 107	No bioaccumulation expected	
sodium hydroxide	No data available		Not relevant, does not bioaccumulate	
sodium xylene sulphonate	-3.12	Method not given	No bioaccumulation expected	

Bioconcentration factor (BCF)

TASKI PROSTRIP HD

Ingredient(s)	Value	Species	Method	Evaluation	Remark
2-butoxyethanol	No data available				
2-aminoethanol	No data available				
2-phenoxyethanol	0.35		Method not given	No bioaccumulation expected	
sodium hydroxide	No data available				
sodium xylene sulphonate	No data available				

12.4 Mobility in soil

Adsorption/Desorption to soil or sediment

Ingredient(s)	Adsorption coefficient Log Koc	Desorption coefficient Log Koc(des)	Method	Soil/sediment type	Evaluation
2-butoxyethanol	No data available				Potential for mobility in soil, soluble in water
2-aminoethanol	0.067		Model calculation		Potential for mobility in soil, soluble in water Adsorption to solid soil phase is not expected
2-phenoxyethanol	1.61	No data available	Method not given		Potential for adsorption to soil
sodium hydroxide	No data available				Mobile in soil
sodium xylene sulphonate	No data available				

12.5 Other adverse effects

No other adverse effects known.

SECTION 13: Disposal considerations**13.1 Waste treatment methods****Waste from residues / unused products:**

The concentrated contents or contaminated packaging should be disposed of by a certified handler or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging material is suitable for energy recovery or recycling in line with local legislation.

Empty packaging**Recommendation:****Suitable cleaning agents:**

Dispose of observing national or local regulations.

Water, if necessary with cleaning agent.

SECTION 14: Transport information**ADG, IMO/IMDG, ICAO/IATA****14.1 UN number:** 1760**14.2 UN proper shipping name:**

Corrosive liquid, n.o.s. (sodium hydroxide , ethanolamine)

14.3 Transport hazard class(es):

Transport hazard class (and subsidiary risks): 8

14.4 Packing group: III**14.5 Environmental hazards:**

Environmentally hazardous: No

Marine pollutant: No

14.6 Special precautions for user: None known.**14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code:** The product is not transported in bulk tankers.**Other relevant information:****Hazchem code:** 2X

This product has been classified, labelled and package in accordance with the requirements of the NZ Land Transport Rule: Dangerous Goods, ADG, and the provisions of the IMDG Code.

Transport regulations include special provisions for certain classes of dangerous goods packed in limited quantities.

SECTION 15: Regulatory information**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****HSNO Approval Number**

HSR002526.

Group standard

Cleaning Products (Corrosive) Group Standard 2017

Inventory Listing(s)

New Zealand: NZIoC (New Zealand Inventory of Chemicals)

TASKI PROSTRIP HD

All components are listed on the NZIoC inventory, or are exempt

SECTION 16: Other information

The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract

SDS code: MS32000571

Version: 01.0

Revision: 2019-03-05

Exposure standards - Time Weighted Average (TWA) or Workplace Exposure Standard (WES) (NZ): Exposure standards are established on the premise of an 8 hour work period of normal intensity, under normal climatic conditions and where a 16 hour break between shifts exists to enable the body to eliminate absorbed contaminants. In the following circumstances, exposure standards must be reduced: strenuous work conditions; hot, humid climates; high altitude conditions; extended shifts (which increase the exposure period and shorten the period of recuperation).

Abbreviations and acronyms:

- DNEL - Derived No Effect Limit
- AUH - GHS Specific hazard statement
- PNEC - Predicted No Effect Concentration
- ATE - Acute Toxicity Estimate
- LD50 - Lethal Dose, 50% / Median Lethal dose
- LC50 - Lethal Concentration, 50% / Median Lethal Concentration
- EC50 - effective concentration, 50%
- NOEL - No observed effect level
- NOAEL - No observed adverse effect level
- STOT-RE - Specific target organ toxicity (repeated exposure)
- STOT-SE - Specific target organ toxicity (single exposure)
- EC No. - European Community Number
- OECD - Organization for Economic Cooperation and Development

End of Safety Data Sheet